

【輸入車ROTOR】

赤文字部分が訂正/追加です。空欄は未設定/未定です。

車名ダイレクト検索と在庫照会はこちら↓
http://www.dixcel.co.jp/rotor/rotor_stock.html

車名はアルファベット順の掲載です

表示価格は税抜き価格です

MODEL	GRADE	Year 年式	Vehicle Code 型式	Remarks 備考	F/R	Part Number 品番	希望小売価格(税抜)						形状	OD 外径	TH 厚み	HT 高さ	CB ハブ径	H	PCD	
							PD	SD	HD	HS	FP	FS								
ALFAROMEO																				
GIULIETTA	1.4 TURBO	11/11~	94014/940141		F	251 4869	27,000	33,000	35,000	43,000			V	305.0	28.0	40.0	70.0	5	110.0	
		11/11~13		Brembo	Rr. 278x12mm DISC	R	255 4840	22,000	28,000	30,000	38,000			S	264.0	10.0	40.5	69.8	5	110.0
				F	251 8263	36,000	44,000	46,000	54,000			V	330.0	28.0	40.0	70.0	5	110.0	追記/サイズ修正	
	1.7 TURBO	11/11~	Brembo	Rr. 264x10mm DISC	R	255 4888	26,000	32,000	34,000	42,000			S	278.0	12.0	43.5	70.0	5	110.0	サイズ修正
			F	251 8263	36,000	44,000	46,000	54,000			V	330.0	28.0	40.0	70.0	5	110.0	追記/サイズ修正		
		13~	R	255 4840	22,000	28,000	30,000	38,000			S	264.0	10.0	40.5	69.8	5	110.0	サイズ修正		
				Brembo	F	251 8263	36,000	44,000	46,000	54,000			V	330.0	28.0	40.0	70.0	5	110.0	サイズ修正
					R	255 4888	26,000	32,000	34,000	42,000			S	278.0	12.0	43.5	70.0	5	110.0	サイズ修正
ALPINA																				
E65	B7 4.4	04~05/03	MH10		F	121 8162	26,000	34,000	36,000	44,000			V	374.0	36.0	81.0	79.0	5	120.0	
		05/03~		R	125 1266	23,000	33,000			35,000	43,000	V	370.0	24.0	65.0	79.0	5	120.0	HD/HS⇒FP/FS	
		F	121 8162	26,000	34,000	36,000	44,000			V	374.0	36.0	81.0	79.0	5	120.0				
		R	125 8506	47,000	54,000			56,000	64,000	V	370.0	24.0	74.0	79.0	5	120.0	HD/HS⇒FP/FS			
AUDI																				
80 QUATTRO (B3/B4)	RS2 QUATTRO	94~95	8CADU	16インチ車のみ	F	151 0938 R/L	59,000	67,000			69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS
					R	155 0428	56,000	64,000			66,000	74,000	V	299.0	24.0	71.0	103.0	5	130.0	HD/HS⇒FP/FS
TT	1.8 TFSI	15/08~	FVCJS		F	131 0016	25,000	31,000			33,000	41,000	V	312.0	25.0	50.0	65.0	5	112.0	追加
				R	135 4830	22,000	28,000	30,000	38,000			S	272.0	10.0	48.3	65.0	5	112.0	追加	
	2.0 TFSI	15/08~	FVCHH		F	131 0016	25,000	31,000			33,000	41,000	V	312.0	25.0	50.0	65.0	5	112.0	追加
				R	135 8558	30,000	36,000	38,000	46,000			S	300.0	12.0	48.3	65.0	5	112.0	追加	
2.0 TFSI QUATTRO	15/08~	FVCHHF		F	131 0016	25,000	31,000			33,000	41,000	V	312.0	25.0	50.0	65.0	5	112.0	追加	
			R	135 8558	30,000	36,000	38,000	46,000			S	300.0	12.0	48.3	65.0	5	112.0	追加		
TTS	2.0 TFSI QUATTRO	15/08~	FVCJXF		F	調査中							V	340.0	30.0	49.8	65.0	5	112.0	調査中
				R	135 8331	25,000	31,000			33,000	41,000	V	310.0	22.0	48.6	65.0	5	112.0	追加	
BMW																				
MINI CLUBMAN (F54)	COOPER/COOPER D	15/11~	LN15/LR20		F	121 8267	28,000	36,000			38,000	46,000	V	294.0	22.0	45.2	67.0	5	112.0	追加
				R	125 8560	23,000	31,000	33,000	41,000			S	280.0	10.0	50.5	67.0	5	112.0	追加	
	COOPER S/COOPER SD	15/11~	LN20/LR20		F	121 8271	38,000	46,000	48,000	56,000			V	307.0	24.0	45.2	67.0	5	112.0	追加
				R	125 8560	23,000	31,000	33,000	41,000			S	280.0	10.0	50.5	67.0	5	112.0	追加	
	JOHN COOPER WORKS	17/02~			F	開発中							V	335.0	30.0					開発中
			R	125 8560	23,000	31,000	33,000	41,000			S	280.0	10.0	50.5	67.0	5	112.0	追加		
MINI CROSSOVER (F60)	COOPER D/COOPER D ALL4	17/03~		F	121 8271	38,000	46,000	48,000	56,000			V	307.0	24.0	45.2	67.0	5	112.0	追加	
			R	125 8560	23,000	31,000	33,000	41,000			S	280.0	10.0	50.5	67.0	5	112.0	追加		
	COOPER SD ALL4	17/03~		F	121 8309	32,000	37,000			39,000	44,000	V	330.0	24.0	45.2	67.0	5	112.0	追加	
			R	125 8560	23,000	31,000	33,000	41,000			S	280.0	10.0	50.5	67.0	5	112.0	追加		
	COOPER SE ALL4	17/03~		F	121 8309	32,000	37,000			39,000	44,000	V	330.0	24.0	45.2	67.0	5	112.0	追加	
			R	125 7954	28,000	33,000			35,000	40,000	V	300.0	20.0	50.6	67.0	5	112.0	追加		
E23	735i/745i	79~81/8		F	121 2366	22,000	32,000	34,000	42,000			V	280.0	25.0	78.0	74.0	5	120.0		
			R	125 4922	16,000	24,000			26,000	34,000	S	280.0	10.0	68.2	75.0	5	120.0	HD/HS⇒FP/FS		
		81/8~86		F	121 2366	22,000	32,000	34,000	42,000			V	280.0	25.0	78.0	74.0	5	120.0		
			R	125 4924	20,000	26,000			28,000	36,000	S	284.0	10.0	68.0	75.0	5	120.0	HD/HS⇒FP/FS		
E89 Z4	35i/35iS	09/04~	LM30/LM35		F	121 4751	52,000	58,000			60,000	68,000	V	348.0	30.0	73.0	79.0	5	120.0	HD/HS⇒FP/FS
				R	125 4868	29,000	35,000	37,000	45,000			V	324.0	20.0	54.1	75.0	5	120.0		

MODEL	GRADE	Year 年式	Vehicle Code 型式	Remarks 備考	F/R	Part Number 品番	希望小売価格(税抜)						形状	OD 外径	TH 厚み	HT 高さ	CB ハブ径	H	PCD			
							PD	SD	HD	HS	FP	FS										
CADILLAC																						
ATS	SEDAN 2.0 TURBO	13/03~	A1SL		F	181 8359	32,000						V	300.0	26.0	61.0	71.0	5	115.0	追加		
					R	発売予定						V	315.0	23.0	50.0	70.8	5	115.0				
	COUPE 2.0 TURBO		F		181 8361	36,000					V	321.0	30.0	61.0	67.5	5	120.0	追加				
			R		開発予定																	
	SEDAN 3.6 TURBO		F		未設定																	
			R		未設定																	
CTS	2.0 TURBO	14/04~	A1LL		F	調査中																
					R	185 7980	32,000						V	315.0	23.0	48.0	67.4	5	120.0	追加		

CHEVROLET																						
CORVETTE (C7)	6.2	14/04~			F	181 8363	36,000	44,000			46,000	54,000	V	321.0	30.0	51.0	70.7	5	120.7	追加		
					R	開発予定																
					F	未設定																
					R	未設定																
	6.2 Z51	14/04~			F	未設定																
					R	未設定																

FIAT																					
500/500C/500S (CINQUECENTO)	ABARTH 500	08/08~	312141/312142		F	251 2407	30,000	36,000	38,000	46,000			V	284.0	22.0	43.5	59.0	4	98.0		
					R	265 2458	14,000	18,000	20,000	28,000			S	240.0	11.0	39.9	59.1	4	98.0		
					F	262 4825	49,000				57,000		V	284.0	22.0	43.5	59.0	4	98.0	HD⇒FP	
					R	266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP	
	ABARTH 500C (Cabriolet)	10/08~	312141/312142		F	251 2407	30,000	36,000	38,000	46,000			V	284.0	22.0	43.5	59.0	4	98.0		
					R	265 2458	14,000	18,000	20,000	28,000			S	240.0	11.0	39.9	59.1	4	98.0		
	ABARTH 595	13/01~	312141/312142	TURISMO/COMPETIZIONE	F	262 4825	49,000				57,000		V	284.0	22.0	43.5	59.0	4	98.0	HD⇒FP	
					R	266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP	
					F	調査中															
					R	266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP	
	ABARTH 695 TRIBUTO FERRARI	11~	312141		F	開発予定															
					R	266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP	
	ABARTH 695 EDIZIONE MASERA	13/03~13/07	312142		F	開発予定															
					R	266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP	
13/08~		F			開発予定																
		R			266 4992	30,000				38,000		S	240.5	11.0	40.0	59.0	4	98.0	HD⇒FP		

※2 純正品がドリルドディスク(穴開きローター)の為、弊社製品もドリルドローターとなっております。 Drilled disc is provided same as original.

LAND ROVER																				
RANGE ROVER EVOQUE	2.0 TURBO	12/03~15/09	LV2A		F	161 4733	34,000	40,000	42,000	50,000			V	300.0	28.0	52.0	63.5	5	108.0	
					R	205 8512	24,000	30,000	32,000	40,000			S	302.0	11.0	50.8	63.5	5	108.0	
		15/09~			F	021 8347	38,000	46,000	48,000	56,000			V	325.0	30.0	52.0	63.5	5	108.0	
					R	発売予定							S	317.0	10.0	50.9	63.5	5	108.0	発売予定
RANGE ROVER SPORT	3.0 V6 Supercharger	13/11~	LW3SA	HST以外	F	発売予定							V	360.0	30.0	62.0	79.0	5	120.0	
					R	025 8284	38,000	46,000	48,000	56,000			V	350.0	25.0	49.5	79.0	5	120.0	追加
				HST	F	041 4861	36,000	44,000	46,000	54,000			V	380.0	34.0	61.9	79.0	5	120.0	追加
					R	025 7946	36,000	44,000			46,000	54,000	V	365.0	25.0	49.0	79.0	5	120.0	追加

MODEL	GRADE	Year 年式	Vehicle Code 型式	Remarks 備考	F/R	Part Number 品番	希望小売価格(税抜)						形状	OD 外径	TH 厚み	HT 高さ	CB ハブ径	H	PCD			
							PD	SD	HD	HS	FP	FS										
MERCEDES BENZ																						
R129 (正規輸入車)	SL320	98/7~01/09	129064	SL Edition	※2	F	112 3630	40,000				48,000		V	334.0	32.0	51.5	67.0	5	112.0		
						R	116 3631	36,000			46,000		V	300.0	22.0	57.3	67.0	5	112.0	HD⇒FP		
	SL500	98/7~01/09	129068	SL Edition	※2	F	112 3630	40,000				48,000		V	334.0	32.0	51.5	67.0	5	112.0		
						R	116 3631	36,000			46,000		V	300.0	22.0	57.3	67.0	5	112.0	HD⇒FP		
W166	GLE350d 4MATIC	15/10~	166024		※2	F	111 4769	40,000	46,000	48,000	56,000			V	330.0	32.0	54.5	67.0	5	112.0	追加	
						R	115 4708	32,000	38,000	40,000	48,000			S	325.0	14.0	54.0	67.0	5	112.0	追加	
	GLE350d 4MATIC SPORTS	15/10~	166024		※2	F	112 4775	42,000		52,000				V	350.0	32.0	54.4	67.0	5	112.0	追加	
						R	115 4714	38,000	46,000	48,000	56,000			V	330.0	22.0	54.0	67.0	5	112.0	追加	
	ML350 4MATIC	12/06~15/10	166057		※2	F	111 4799	39,000	47,000	49,000	57,000				V	350.0	32.0	54.5	67.0	5	112.0	
						R	115 4714	38,000	46,000	48,000	56,000			V	330.0	22.0	54.0	67.0	5	112.0		
						F	112 8213	58,000				68,000			V	375.0	36.0	54.5	67.0	5	112.0	HD⇒FP
						R	116 8518	44,000		52,000				V	345.0	22.0	54.0	67.0	5	112.0		
	AMG GLE43 4MATIC	15/10~	166064		※2	F	112 8213	58,000				68,000			V	375.0	36.0	54.5	67.0	5	112.0	追加
						R	開発予定							V	345.0	22.0	54.0	67.0	5	112.0	開発予定	
	ML63 AMG	12/06~15/10	166074		※2	F	開発予定								V	390.0	36.0			5		
						R	116 8556	58,000						V	345.0	26.0	54.0	67.0	5	112.0	H	
AMG GLE63S 4MATIC	15/10~	166074		※2	F	開発予定								V	390.0	36.0			5		開発予定	
					R	116 8556	58,000						V	345.0	26.0	54.0	67.0	5	112.0	追加		

※2 純正品がドリルドディスク(穴開きローター)の為、弊社製品もドリルドローターとなっております。 Drilled disc is provided same as original.

W447	V220d	15/10~	447811		※2	F	111 8365	28,000	36,000			38,000	46,000	V	330.0	32.0	58.4	67.0	5	112.0	追加	
						R	発売予定							S	300.0	12.0	58.0	70.0	5	112.0	発売予定	
G463/W463	G550 LONG	09/03~	463236		※2	F	111 8241	48,000	56,000	58,000	66,000			V	315.0	30.0	83.0	85.0	5	130.0	訂正	
						R	115 6469	22,000	28,000	30,000	38,000			S	272.0	16.0	96.0	85.0	5+2	130.0		
X166	GL350 BlueTEC 4MATIC	15/01~16/04	166824		※2	F	111 4799	39,000	47,000	49,000	57,000			V	350.0	32.0	54.5	67.0	5	112.0		
						R	開発予定							V	345.0	22.0	54.0	67.0	5	112.0		
	GLS350d 4MATIC	16/04~	166824		※2	F	111 4799	39,000	47,000	49,000	57,000			V	350.0	32.0	54.5	67.0	5	112.0	追加	
						R	開発予定							V	345.0	22.0	54.0	67.0	5	112.0	追加	
	GLS350d 4MATIC SPORTS	16/04~	166824		※2	F	112 8213	58,000				68,000			V	375.0	36.0	54.5	67.0	5	112.0	追加
						R	開発予定							V	345.0	22.0	54.0	67.0	5	112.0	追加	
	GL550 4MATIC	13/04~16/04	166873		※2	F	112 8213	58,000				68,000			V	375.0	36.0	54.5	67.0	5	112.0	HD⇒FP
						R	116 8518	44,000		52,000				V	345.0	22.0	54.0	67.0	5	112.0		
	GLS550 4MATIC SPORTS	16/04~	166873		※2	F	112 8213	58,000				68,000			V	375.0	36.0	54.5	67.0	5	112.0	追加
						R	開発予定							V	345.0	22.0	54.0	67.0	5	112.0	追加	
	GL63 AMG	13/04~16/04	166874		※2	F	開発予定								V	390.0	36.0			5		
						R	116 8556	58,000						V	345.0	26.0	54.0	67.0	5	112.0		
AMG GLS63 4MATIC	16/04~	166874		※2	F	開発予定								V	390.0	36.0			5		追加	
					R	116 8556	58,000						V	345.0	26.0	54.0	67.0	5	112.0	追加		

※2 純正品がドリルドディスク(穴開きローター)の為、弊社製品もドリルドローターとなっております。 Drilled disc is provided same as original.

PORSCHE																					
911 (930)	3.2 S/SC/CARRERA/ TARGA	83/8~89/8	9114/9114K		※2	F	151 3255	46,000	52,000			54,000	62,000	V	282.0	24.0	37.0	107.0	5	126.0	HD/HS⇒FP/FS
						R	155 3256	46,000	52,000	54,000	62,000			V	290.0	24.0	83.0	90.0	5	130.0	
911 (964)	3.6 CARRERA 2/CABRIOLET	89/8~93/12	964A/964AK		※2	F	151 3411	42,000	48,000	50,000	58,000			V	298.0	28.0	80.0	103.0	5	130.0	
						R	155 3412	43,000	49,000		51,000	59,000			V	299.0	24.0	99.0	103.0	5	130.0
	3.6 CARRERA 4	89/8~93/12			※2	F	151 3411	42,000	48,000	50,000	58,000			V	298.0	28.0	80.0	103.0	5	130.0	
						R	155 3412	43,000	49,000		51,000	59,000			V	299.0	24.0	99.0	103.0	5	130.0
	3.6 CARRERA RS	91/7~93/12			※2	F	未設定														
						R	155 3412	43,000	49,000		51,000	59,000			V	299.0	24.0	99.0	103.0	5	130.0

MODEL	GRADE	Year 年式	Vehicle Code 型式	Remarks 備考	F/R	Part Number 品番	希望小売価格(税抜)						形状	OD 外径	TH 厚み	HT 高さ	CB ハブ径	H	PCD			
							PD	SD	HD	HS	FP	FS										
PORSCHE																						
911 (993)	3.6 CARRERA 4S TURBO LOOK	96~98			※2	F	152 1564 R/L	72,000					80,000		V	322.0	32.0	72.0	103.0	5	130.0	HD⇒FP
					※2	R	156 1566 R/L	54,000				62,000		V	322.0	28.0	68.0	103.0	5	130.0	HD⇒FP	
	3.8 CARRERA RS	94~98			※2	F	152 1564 R/L	72,000					80,000		V	322.0	32.0	72.0	103.0	5	130.0	HD⇒FP
					※2	R	156 1566 R/L	54,000				62,000		V	322.0	28.0	68.0	103.0	5	130.0	HD⇒FP	
	3.6 TURBO/GT2 TURBO	94~98			※2	F	152 1564 R/L	72,000					80,000		V	322.0	32.0	72.0	103.0	5	130.0	HD⇒FP
					※2	R	156 1566 R/L	54,000				62,000		V	322.0	28.0	68.0	103.0	5	130.0	HD⇒FP	
928	4.5	78~80		車台No.→92ZA0800749		F	生産中止															
						R	155 0152	38,000	48,000			50,000	58,000	V	289.0	20.0	71.0	103.0	5	130.0		
	80~82		車台No.92ZA0800750→	※6C	F	153 0937 R/L	58,000					70,000		V	282.0	32.0	60.0	90.0	5	130.0	HD⇒FP	
					R	155 0152	38,000	48,000			50,000	58,000	V	289.0	20.0	71.0	103.0	5	130.0			
	4.7 S1/S2	79~85		車台No.→92ZFS8##### (Fr. 1POT)	※	F	153 0937 R/L	58,000					70,000		V	282.0	32.0	60.0	90.0	5	130.0	HD⇒FP
						R	155 0152	38,000	48,000			50,000	58,000	V	289.0	20.0	71.0	103.0	5	130.0		
	85~86		車台No.92ZGS8#####→ (Fr. 4POT)		F	151 0938 R/L	59,000	67,000				69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS	
					R	155 0428	56,000	64,000			66,000	74,000	V	299.0	24.0	71.0	103.0	5	130.0	HD/HS⇒FP/FS		
	5.0 V8 / V8 S4	87~91				F	151 0938 R/L	59,000	67,000				69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS
						R	155 0428	56,000	64,000			66,000	74,000	V	299.0	24.0	71.0	103.0	5	130.0	HD/HS⇒FP/FS	
	5.4 GTS	91~95				F	未設定 R/L								V	323.0	32.0	77.2	103.0	5		
						R	155 0428	56,000	64,000			66,000	74,000	V	299.0	24.0	71.0	103.0	5	130.0	HD/HS⇒FP/FS	
※6C 純正品がスリットディスクの為、弊社製品もスリットディスクとなります。 Slotted disc is provided same as original.																						
944	2.5	82~86		車台No.→94ZGN4#####		F	151 2692	38,000	44,000	46,000	54,000			V	282.5	20.5	35.0	107.0	5	126.0		
						R	155 0152	38,000	48,000			50,000	58,000	V	289.0	20.0	71.0	103.0	5	130.0		
	86~88		車台No.94ZHN4#####→		F	151 0430	54,000	64,000				66,000	74,000	V	282.5	20.5	74.0	103.0	5	130.0	HD/HS⇒FP/FS	
					R	155 0622	48,000	58,000			60,000	68,000	V	289.0	20.0	100.0	103.0	5	130.0	HD/HS⇒FP/FS		
	2.5S (16V)	87~88				F	151 0430	54,000	64,000				66,000	74,000	V	282.5	20.5	74.0	103.0	5	130.0	HD/HS⇒FP/FS
						R	155 0622	48,000	58,000			60,000	68,000	V	289.0	20.0	100.0	103.0	5	130.0	HD/HS⇒FP/FS	
	2.7	88~90				F	151 0430	54,000	64,000				66,000	74,000	V	282.5	20.5	74.0	103.0	5	130.0	HD/HS⇒FP/FS
						R	155 0622	48,000	58,000			60,000	68,000	V	289.0	20.0	100.0	103.0	5	130.0	HD/HS⇒FP/FS	
	2.5 TURBO	85~86		車台No.→95ZGN1#####		F	151 0429	54,000	64,000				66,000	74,000	V	298.0	28.0	45.0	107.0	5	126.0	HD/HS⇒FP/FS
						R	155 0428	56,000	64,000			66,000	74,000	V	299.0	24.0	71.0	103.0	5	130.0	HD/HS⇒FP/FS	
		86~88		車台No.95ZHN1#####→95ZJN1#####		F	151 3254	44,000	52,000	54,000	62,000			V	298.0	28.0	74.0	103.0	5	130.0		
	89~91		車台No.95ZKN1#####→		F	151 0938 R/L	59,000	67,000				69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS	
					R	155 3412	43,000	49,000			51,000	59,000	V	299.0	24.0	99.0	103.0	5	130.0	HD/HS⇒FP/FS		
	2.5 TURBO S	88				F	151 0938 R/L	59,000	67,000				69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS
						R	155 3412	43,000	49,000			51,000	59,000	V	299.0	24.0	99.0	103.0	5	130.0	HD/HS⇒FP/FS	
	3.0 S2	88~91		KONI仕様除く		F	151 3254	44,000	52,000	54,000	62,000				V	298.0	28.0	74.0	103.0	5	130.0	
						R	155 3412	43,000	49,000			51,000	59,000	V	299.0	24.0	99.0	103.0	5	130.0	HD/HS⇒FP/FS	
							151 0938 R/L	59,000	67,000			69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS	
89~91		車台No.95ZKN1#####→		R	155 3412	43,000	49,000				51,000	59,000	V	299.0	24.0	99.0	103.0	5	130.0	HD/HS⇒FP/FS		
					151 0938 R/L	59,000	67,000			69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS			
968	3.0	91/7~95/12				F	151 3254	44,000	52,000	54,000	62,000			V	298.0	28.0	74.0	103.0	5	130.0		
						R	155 3412	43,000	49,000			51,000	59,000	V	299.0	24.0	99.0	103.0	5	130.0	HD/HS⇒FP/FS	
	3.0 CS ※11	93/1~95/12				F	151 0938 R/L	59,000	67,000				69,000	77,000	V	304.0	32.0	77.0	103.0	5	130.0	HD/HS⇒FP/FS
						R	生産中止															

※11 968 3.0CS のフロントローター、純正品はドリルドタイプですが、弊社商品(品番1510938)ではプレーンタイプになりますので予めご了承下さい。 Non-drilled disc is applied unlike 968 3.0CS applies drilled disc as original.

MODEL	GRADE	Year 年式	Vehicle Code 型式	Remarks 備考	F/R	Part Number 品番	希望小売価格(税抜)						形状	OD 外径	TH 厚み	HT 高さ	CB ハブ径	H	PCD		
							PD	SD	HD	HS	FP	FS									
RENAULT																					
MEGANE III (ESTATE)	1.2 TURBO	14/10~	ZH5F			F	221 8329	24,000	32,000			34,000	42,000	V	280.0	24.0	44.0	68.0	5	114.3	HD/HS⇒FP/FS
						R	229 7958	38,000						S	260.0	8.0	88.0	52.3	5	114.3	
	2.0 16V	11/05~	ZM4R			F	221 8329	24,000	32,000			34,000	42,000	V	280.0	24.0	44.0	68.0	5	114.3	HD/HS⇒FP/FS
						R	229 7958	38,000						S	260.0	8.0	88.0	52.3	5	114.3	
	2.0 TURBO	14/06~	ZF4R	GT220・220ps		F	221 8243	26,000	32,000			34,000	42,000	V	320.0	28.0	44.0	68.0	5	114.3	
						R	229 7958	38,000						S	260.0	8.0	88.0	52.3	5	114.3	
	RS 2.0 TURBO	11/02~	DZF4R			F	221 8353	32,000	40,000					V	340.0	28.0	63.1	68.0	5	114.3	追加
						R	開発予定							S	290.0	11.0	104.6	62.0	5	114.3	
	1.2 TURBO	14/10~	KZH5F			F	221 8329	24,000	32,000			34,000	42,000	V	280.0	24.0	44.0	68.0	5	114.3	HD/HS⇒FP/FS
						R	229 7960	38,000						S	260.0	8.0	88.1	52.3	5	114.3	
	2.0 16V	12/12~	KZM4R			F	221 8329	24,000	32,000			34,000	42,000	V	280.0	24.0	44.0	68.0	5	114.3	HD/HS⇒FP/FS
						R	229 7960	38,000						S	260.0	8.0	88.1	52.3	5	114.3	